DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA

OFFICE OF DESIGN POLICY & SUPPORT INTERDEPARTMENTAL CORRESPONDENCE

FILE P.I. #0007838

OFFICE Design Policy & Support

CSSTP-0007-00(838)

Fulton County

GDOT District 7 - Metro Atlanta

DATE 9/13/2016

SR 9 from Windward Pkwy. to

the Forsyth Co. Line - Widening & Improvements

FROM

for Brent Story, State Design Policy Engineer

TO SEE DISTRIBUTION

SUBJECT APPROVED LOCATION & DESIGN REPORT

Attached is the approved Location and Design Report with Notice of Location & Design Approval for the above subject project.

Attachment

DISTRIBUTION:

Hiral Patel, Director of Engineering

Joe Carpenter, Director of P3/Program Delivery

Albert Shelby, State Program Delivery Engineer

Darryl VanMeter, State Innovative Delivery Engineer

Bobby Hilliard, Program Control Administrator

Cindy VanDyke, State Transportation Planning Administrator

Eric Duff, State Environmental Administrator

Bill DuVall, State Bridge Engineer

Andrew Heath, State Traffic Engineer

Angela Robinson, Financial Management Administrator

Lisa Myers, State Project Review Engineer

Richard Cobb, Location Bureau Chief

Kathy Zahul, District Engineer

Scott Lee, District Preconstruction Engineer

Scott Lee for District Planning & Programming Engineer

Percy Combay, Acting Area Engineer - D7, A2

Anthony Tate, Project Manager

BOARD MEMBER - 6th Congressional District

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA

INTEROFFICE CORRESPONDENCE LOCATION AND DESIGN REPORT

FILE 0007838

OFFICE Program Delivery

CSSTP-0007-00(838)

DATE 8/4/2016

Fulton County

GDOT District 7 - Chamblee

Widening of SR 9 from Windward Parkway

to Forsyth County Line

FROM PAlbert V. Shelby III, State Program Delivery Engineer allut Stully

TO Brent Story, P.E, State Design Policy Engineer Attn: Dave Peters, P.E., State Conceptual Design Group Manager

SUBJECT Request for Location and Design Approval

Description and Project Proposal:

The project begins at the intersection of Windward Parkway and SR 9, which is the city limits for Alpharetta and Milton, and ends at the Forsyth County Line. The project is located within the City of Milton. The project length is 3.04 miles. The proposed project would widen SR 9 to a continuous four lane urban roadway (two lanes in each direction) separated by a raised median that varies in width but is typically 16 feet. Besides widening, the project consists of the reconfiguration of side roads, addition of pedestrian and bicycle facilities, traffic and operational improvements, and signal upgrades. The intersection of Bethany Bend will be re-aligned to correct the existing skew angle. Left and right turn lanes will be provided at all major intersections. The roadway is designed to meet 45 mph design criteria. The existing right of way varies from 80 to 100 feet. The proposed right of way will vary from 101 to 134 feet. SR 9 is classified as an Urban Minor Arterial.

Concept Approval Date:

The Concept Report was approved on 09/16/2014

Environmental Document:

Document Type: N/A- State Funded

Approval Date: N/A- State Funded

Public Involvement:

Public Information Open House summary:

The PIOH was held on May 21, 2014 at the City of Milton City Hall

There were concerns that constructing a raised median on SR 9 would negatively impact businesses and cause delays to local residents. Access to local businesses would be limited.

There was concern that constructing a raised median on SR 9 would not provide provisions for U-Turns.

Number of attendees = 101

Number of comments = 30

Number opposing = 22

Number supporting = 9

Consistency with Approved Planning: The design description as presented herein and submitted for approval is consistent with the approved Concept Report.


Recommendations: Recommend that the location and design for the project be approved and that the attached Notice be approved for advertising.

Concur:		
	GDOT Director of Engineering	
Approve:	Mont B. Pasky	September 9, 2016
DATE OF LO	CATION AND DESIGN APPROVAL:	September 13, 2016

Attachments:

- Project Location Map
- Construction Cost Estimate
- Typical Sections
- Notice of Location and Design Approval

PROJECT LOCATION MAP



SR 9WIDENING AND RECONSTRUCTION FROM WINDWARD PKWY TO FORSYTH COUNTY LINE

Project Number: 0007838

Construction Cost Estimate

ODO7838 CES_04_28_2016_latest.txt STATE HIGHWAY AGENCY

DATE : 04/28/2016

JOB ESTINATE KEPOKT

BOS NUMBER : 0007838 DESCRIPTION: SR 9/CUMMING HWY FROM WINDWARD PKRY TO FORSYTH COUNTY LINE

ITEMS FOR JOB 0007838

T I I I I I I	ITEM	_Te	UNITS	DESCRIPTION	-	ĝ.	90 SN
00100	153-2300 210-0100 210-0100		(S)	S OFFICE TE + USER	4 - 4 4	30000000	0000000 000000000000000000000000000000
10			i z	BASE CRS. INCL MATL	0.97	lenj Len	586185
10	02-181		7	LEVELING, INC 8	5957,00	0	100342
8	02-313		Z	12.5MM SP, GP2, BMBHL	2246,99	-	21468 21468
0	02-319		Z	10 19 MM SP, GP 1	5207.26	ST C	983175 1001
3	02-312		Z	25MM SP, GP1/2,	00.62.60.00	-	01100 075766
3	13-0/5		ď.		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		イス・ショウ ひょうしょう
0	32-501		50	MAG UNOU TO		٩٠	2017
0	41-010		54	DEWALK, 4 IN			いけらくらい
6	41-500		1	ADER CURB, 6, TP 2	つう こうれいかん	-	プロサロ ア ア ア ア ア ア ア ア ア ア ア ア ア ア ア ア ア ア
8	41-622		LE. I	R & GUTTER/ 8X30TP2	30.000 00.000 00.000		00000000000000000000000000000000000000
0	46-110		ш.	KER FASS STRIPS, -FL. I	32.5	50	100 M
0	41-140		Li.	KAIL, FX	35	or in	100
00 6	41-500		Z W	THAT ANCHOR	35	13	うけい
	100 - 100 m		V.	TO STOCK TO THE STATE OF THE ST	36	n n n n	NA PARA
36	20-14 100		<u> </u>	ONC. AE- S A CONCRETE	ă		7500
3	440		ā				
8	666-00		Ç	CONC, BASE OR P	500.0		77739.3
9	50-118		4	M PIPE 18,H 1-	0 · 0	370	200
2	50-124		4	M PIPE 24,H 1	0,0	0	2 K N K N K
	50-130		LE L	N PIPE 30, M 1-10	→ t.	90	
	126-05		र्ग. (1)	D END SECT 18 IN, ST D	or or	96	300000
	50-422		W.	D END SECT 24 IN, ST D	30	5 4	0 P
	100 - 4 - 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0		T.	TO END SECT SU IN, V. C	30.00	, , , , , ,	311000
7			Z .	MARKED XIV	? =	in	
40	2017100		- > a u	CHANGE SOLUTION OF THE PARTY OF		in	598.0
10	10 K I L L		e et	CHORN ARE MANAGED TYPE	10.0	700.	0000
100			і п - ч	ST CATCH BASIN TO GR	1.0	00	1300.0
i ivi	11-800		म	ST MANHOLE TO GRADE	0.4	790.	3163.0
	68-110		4	BASIN, GP	<i>□</i> .	000	1007
-	68-111		4	BASIN, GP	9	00	2022
7	68-210		43	INLET, GP 1	0.0	mi.	7) + 2) + 1) + 1) + 1) + 1) + 1) + 1) + 1) + 1
7	68-211		14	INLET, GP 1, ADDL	W.	76	414
-	68-430		त्	STORM SEW MANHOLE, TP 1	4	V C C C C C C C C C C C C C C C C C C C	いななのでは、これのない。これのではなっています。
1	1000 1000 1000 1000 1000 1000 1000 100		ill i	TION BOX	20	ic	1000
1	965 COC		ť L	LE CONTROL DIN			6122.0
0100	0011-519		4 42 -1 -5	DIRECTIONAL BORE PIPE - 5"	2125.000	11:77	25017.82
				e e e e e e e e e e e e e e e e e e e			


		ii 11 11 11	2467 247 27 27 27 27 27 27 27	200 200 200 200 200 200 200 200 200 200	0026.0	200	4578.1	66078.1	7026.0	304.4 000,0		58800.00	69500.00	4	65800.00	66100.00	55500.00	51500.00	380.8	0350.2	O. 400	100	1612.0	e S S S S	1412.7	0.00 0.00 0.00 0.00	380 90 90 90	100 K	MA MA MA	1000 1000 1000 1000 1000 1000 1000 100	1326 1326 1386 1386 1386 1386 1386 1386 1386 138	470.0	
			39.10	9526.0	0026.0	9525.0	1526.0	2026.0	7026.0	40		7,550,00 5,8800,00	69500.00		65800.00	66100.00	55500.00	51500.00	E S	087.5	Or Or	7.7	806.0	4.	160	40	W.	104 - W.	O:	64 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	M = 0	058.7	
NXI.		11 11 12 13 14 14 14	740,000	-		-		ai.			•	1.000	3.000		1.000	1.000	1.000	1.000							240					, w.			
0007838 CES_04_28_2016_latest.	STATE HIGHWAY AGENCY	10 WOL	BORE PIPE - 7" ZMAT, REFL SH TP 9	IN POLE, TP	TA POLE, TP	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N POLIT	A POLE, TO		IN POLE, T		HEAR SIGNAL INSTALLATION NO 1 MINO AD ARARE SIGNAL ENFIRTHEN NO 1 DEFENDED	-	INCHAS MAY	_1	STATE OF SECTION OF SECTION OF SECTIONS	HARF SIGNAL INSTALLATION NO - FIVE ACRE	TRAF SIGNAL ENSTALLATION NO - CREEK	DAMETL, TP 3, 2 IN	NO KUNUNIN CONDUK	ANGLON MODULE, TP A	THA ROTHUMOMETERN	i i i i i i i i i i i i i i i i i i i	PULL MOX, PB-6	CONMETL, TP 2, 2 I	CONDUIT, NOWMENT, NY 3, W HY WR / AG PRES BOLDER TO - HYBRI	OLT PLAT HER OPT CEL, LOOSE TE, SM. 7	DE OFF AND OROPONE IN THEM	CLOSURE, FUCKRACK MID), 12	A SPLICE, FUSIO M. TYPE B		FRAINING FYPE A	
			LF	લ લ પા ા	i d	ill I	त् य त्रा	्रिट् १ म्य	र्य न lui tr	्च । ld _	ė	1 1 1 1 1 1			16 1	LS	n S	S.J.	-J	Æ «	ī, ∗f ni nii	ا م - د	i a	स् भाग	€ ld- ii =1	; ; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;; ;;	1	14 - 47 	(st ini	નું નું (i) (i)	(V) (च मा भुद्	
	04/28/2016		615-1100 636-1041	mn 900	7 m 7 m 7 m	STATE OF THE	20 (2) (2) (3) (3) (4) (4) (4)	100	200 200 200 200 200 200 200 200 200 200	1000	 }	547-1000 547-1000	0001-713	i	0001-299	547-1000	647-1000	547-1000	82-623	100 to 10	019-70	W7-80W		47-216	100 1 100 100 100 100 100 100 100 100 1	W - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	35-111		WI-WHO WAS	35-401	36-80	0000 0000 0000 0000 0000 0000 0000	
	DATE ::			111	4		7.	104	Sic	1010	0	00 00 00 00 00 00 00 00 00 00 00 00 00	GF CG	1 .,	0254	0259	0264	0269		MI	A U.A	ON F	no	M	am	MA	MIN	mr mr	101	THE WAY	100	9 40 6 40 7 M 0 0	

1584.00 2349.13		
99.00 13.81		20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1, 1%1 16,000 170,000		W
0007838 CES_04_28_2016_1ates*	STATE HIGHWAY AGENCY JOS ESTIMATE REPORT	HEY SIGNS, TPIMET, WEET SH TP 9 GALV SIGNS, TPIMET, WEET SH TP 9 GALV SIGNS, TPIMET, WEET SH TP 9 THERM PVMT WARK, ARROW, TP 7 THERMO SOLID TRAF ST 5 1N WHI THERMO SKIP TRAF ST 5 1N WHI THERMO TRAF STRIPING, WHITE THERMO SKIP TRAF ST 5 1N WHI THERMO SKIP TRAF ST 5 1N WHI THERMO SKIP TRAF ST 5 1N WHI MAISED PVWT MARKERS TP 1 RAJSED PVWT MARKERS TP 1 RAJNT OF TEMP SEDIMENT BASIM, ST A MAINT OF TEMP SEDIMENT TRAP MAINT OF TEMP SELLT FENCE, TP C MAINT OF TEMP SELLT FENCE CONSTRUCTION EXIT MAINT OF TO SAMPH MAINT OF TEMP SELLT FENCE MAINT OF TEMP SELLT FENCE MAIN
र्या कि 1त क्ष		
636-1020 636-1020	04/28/2016 3	######################################
0374 0374	터 6d 는 12) 설 전 는 6.	 00000000000000000000000000000000000

· 有人自己

0472020 LS	TRAF SIGNAL INSTALLATION, TEMP STATE HIGHNAY AGENCY 308 ESTIMATE REPORT	1.000	00000	260000.00
4/28/2016				
			1] 61 81 86 86 81	
			61 61 61 61 61 61	
= = = = = = = = = = = = = = = = = = = =	中人田丁丁田 日 日本江南 丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁丁			
TEW TOTAL NFLATED ITEM TOTAL		;		21841730.31
66666				
TOTALS FOR JOB UDU/838				55 057 FBS FC
ESILMATED COST: CONTINGENCY PERCENT (0.0): ESTIMATED TOTAL				21841730.33

Project Typical Sections



NOTICE OF LOCATION AND DESIGN APPROVAL PROJECT NUMBER CSSTP-0007-00(838) AND FULTON COUNTY P. I. NUMBER 0007838

Notice is hereby given in compliance with Georgia Code 22-2-109 and 32-3-5 that the Georgia Department of Transportation has approved the Location and Design of this project.

The date of location and design approval is: September 13, 2016.

The project begins at the intersection of Windward Parkway and SR 9, which is the city limits for Alpharetta and Milton, and ends at the Forsyth County Line. The project is located within the City of Milton in Fulton County within Land District 2.

The proposed project would widen SR 9 to a continuous four lane urban roadway (two lanes in each direction) separated by a raised median that varies in width but is typically 16 feet. Besides widening, the project consists of the reconfiguration of side roads, addition of pedestrian and bicycle facilities, traffic and operational improvements, and signal upgrades. The intersection of Bethany Bend will be re-aligned to correct the existing skew angle. Left and right turn lanes will be provided at all major intersections. The roadway is designed to meet 45 mph design criteria. The existing right of way varies from 80 to 100 feet. The proposed right of way will vary from 101 to 134 feet.

Drawings or maps or plats of the proposed project, as approved, are on file and are available for public inspection at the Georgia Department of Transportation:

Percy Combay
pcombay @dot.ga.gov
Georgia Department of Transportation
1269 Kennestone Circle
Marietta, Georgia 30066
770-528-3231

Any interested party may obtain a copy of the drawings or maps or plats or portions thereof by paying a nominal fee and requesting in writing to:

Albert V. Shelby, III
Office of Program Delivery
Attn: Anthony Tate
atate@dot.ga.gov
600 West Peachtree Street, Atlanta, Georgia 30308
404-631-1769

Any written request or communication in reference to this project or notice SHOULD include the Project and P. I. Numbers as noted at the top of this notice.